

## Ceinture de soutien lombaire modulaire OS

Ceinture de soutien lombaire modulaire OS



**Marque :** goural

**Référence :** LFT160

**Prix :** 143.90 €

### Critères associés :

*Inclus dans votre colis :* FACTURE PORT INCLUS (pour Mutuelle), FEUILLE DE SOINS (pour Cnam)

*Prescription médicale :* Ne pas nous l'envoyer, àagrafer à FDS, envoyer à votre caisse

*Code Lppr - base remboursement :* 201E00.022 - 55,86 €

*Comment essayer :* Dépositaires agréés ou [goural.fr](http://goural.fr), Centre d'essais goural Poupas (82) près de Montauban/Toulouse

*Distributeurs :* Inscrivez-vous comme distributeur pour obtenir votre tarif, Commande : [contact@goural.fr](mailto:contact@goural.fr) après avoir lu les CGV

*Localisation :* Lombaires

*Indications médicales :* Lombalgies

*Profil :* Mixte

*Stabilisateurs :* Baleine formable à froid

*Tissu/Matière :* Tricot élastique aéré

*Ouverture :* Ouverture totale, Velcro

*Mode d'action :* Maintien, Proprioception, Protection, Thermique

*Effet thérapeutique :* Prévention primaire, Antalgie

### Mesures et tailles

Taille unique

**Ceinture de soutien lombaire modulaire OS**







?

### **Indications médicales**

Made from breathable two-layer elastic material with compressive properties that provide a better anatomical fit; contains bamboo inside. This modular back support can be adjusted to fit the patient as its posterior reinforcements and anterior fastening system always act in the appropriate areas, regardless of the circumference of the support area. Reinforced in the lumbosacral area by four preformed and adaptable steel stays. On the front, it features plastic reinforcements for greater abdominal support. Adjustable elastic tightening straps with double fastening system to enhance intra-abdominal pressure and ensure the correct positioning of the abdomen. It has only latex in the stretch straps.

Effects : Increased intra-abdominal pressure. Reduced loading on the vertebrae and intervertebral discs. Improved posture.

Indications : Prevention of or functional recovery from sporting injuries or situations of physical effort. Lumbago. Prevention of lumbosacral injuries caused by straining or resulting from sedentary activities (driving, office work, etc.). Postoperative containment. Patients with abnormally sized or shaped torsos.

[Lien vers la fiche du produit](#)